

Hydraulic Boom Lift Parts

Hydraulic Boom Lift Parts - Telehandlers or Shooting Forklift Booms

Shooting forklift booms are also referred to as telescopic booms or telehandlers. They are very useful on rough terrain lift trucks and lift to heights of 20-40 feet. These booms are typically utilized outside on construction sites or within the agricultural industry.

Booms Should Not Be Used On Pipes

Extreme damage could occur to the interior of a pipe when using any kind of boom to transport the pipe. It is recommended that a lifting sling be used rather than a pipe boom in this specific application. Sometimes, cylinder shaped pipes and steel pipes must be transferred using a boom whenever a hauling sling is unavailable. In these instances, care should be taken to guarantee the pipes interior integrity.

Other Kinds

Two added booms could be used together with your forklift; the low profile boom and the clear view boom. Not one of these booms attaches to the carriage but in its place attaches to the forklifts' forks. They enable an easy transition from pallet to rolled or coiled things with the additional advantage of providing a clear line of sight for the operator.

Guidance for Safety

Forklift operators should finish a training course in order to learn how to drive the machine in the most safe and practical method. This guidance is made to keep the operator safe and to be able to prevent any injury to those working in the vicinity. Lift trucks are a heavy piece of industrial equipment and considered to be a potentially dangerous machine. Those who work with and around them should comply with and know all of the safety measures.

Additional training should be offered to those who will be dealing with forklift booms. This would ensure they understand how to safely operate the booms. Accidents have happened on the job from failure to carefully work a boom. A number of makers offer training courses on the various types of booms and a few offer on-site training where staff can be trained directly where they would be working. This on-hand training allows the teacher an opportunity to address all safety concerns at that particular job location.